



Electric Fireplace *Collection*

Dimplex®

TABLE OF CONTENTS



IGNITE SERIES

- 02 Ignite Ultra®
- 04 Ignite Bold®
- 06 Ignite Evolve®
- 08 Ignite XL®
- 10 Ignite® Quest
- 12 Ignite® Comparison

OPTIMYST SERIES

- 14 Optimyst® Linear
- 16 Optimyst® Aura
- 18 Optimyst® Revive
- 20 Optimyst® Mapleton
- 22 Optimyst® E-matriX
- 24 Optimyst® Cassette
- 26 Optimyst® Cassette RGB
- 28 Optimyst® ProBox
- 30 Optimyst® Comparison

VITAL SERIES

- 32 Vital™ Spark
- 34 Vital™ Sense
- 36 Vital™ Comparison

REVILLUSION SERIES

- 38 Revillusion®
- 40 Revillusion® Comparison

LINEAR FIREPLACES

- 42 Slim Linear
- 44 Linear Comparison

FIREBOXES

- 46 BF
- 48 Nova
- 50 Firebox Comparison
- 52 DFI Insert

ACCESSORY PROGRAM


- 53 Accessories

IGNITE ULTRA[®]

Linear Electric Fireplaces



Introducing Flex-Flame
Say goodbye to one flame effect and hello to personalized comfort!



* Flame shown in image is Dynamic-Fire


- Modern Elegance**
Sleek design and cutting-edge technology create a focal point that exudes modernism.
- Adaptable Design**
Freedom to fit your vision with four installation choices: front-facing, left corner, right-corner, bay.
- Natural Hearth**
Delivers the most authentic flame and log combination for an unmatched and lifelike fire experience.
- Rhythmic Inner Glow Logs**
Features quick connect, moveable logs enhanced with inner glow technology that pulse in rhythm with the dancing flames.



Choose from a range of flame effects, all with a different look to suit your style. With a simple to change component process, you can make your dream fireplace come true.



Total Control
Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mountable (optional) remote control or 3-button control panel on the fireplace.



ULT50 50" Linear Electric Fireplace	ULT60 60" Linear Electric Fireplace	ULT74 74" Linear Electric Fireplace	ULT88 88" Linear Electric Fireplace	ULT100 100" Linear Electric Fireplace
Product Dimensions (WxHxD) 54-5/8 × 27-1/2 × 15-3/8 in 138.7 × 69.9 × 39.1 cm	Product Dimensions (WxHxD) 64-5/8 × 27-1/2 × 15-3/8 in 164.1 × 69.9 × 39.1 cm	Product Dimensions (WxHxD) 78-5/8 × 27-1/2 × 15-3/8 in 199.7 × 69.9 × 39.1 cm	Product Dimensions (WxHxD) 92-5/8 × 27-1/2 × 15-3/8 in 235.3 × 69.9 × 39.1 cm	Product Dimensions (WxHxD) 104-5/8 × 27-1/2 × 15-3/8 in 265.7 × 69.9 × 39.1 cm
Carton Dimensions (WxHxD) 53-7/8 × 33-1/8 × 20-5/8 in 136.8 × 84.2 × 52.5 cm	Carton Dimensions (WxHxD) 63-7/8 × 33-1/8 × 20-5/8 in 162.2 × 84.2 × 52.5 cm	Carton Dimensions (WxHxD) 77-7/8 × 33-1/8 × 20-5/8 in 198.1 × 84.2 × 52.5 cm	Carton Dimensions (WxHxD) 91-7/8 × 33-1/8 × 20-5/8 in 233.4 × 84.2 × 52.5 cm	Carton Dimensions (WxHxD) 103-7/8 × 33-1/8 × 20-5/8 in 264.3 × 84.2 × 52.5 cm
Packaged Weight 187.4 lbs / 85 kg	Packaged Weight 209.4 lbs / 95 kg	Packaged Weight 246.9 lbs / 112 kg	Packaged Weight 275.6 lbs / 130 kg	Packaged Weight 308.6 lbs / 140 kg
UPC 781052152960	UPC 781052152977	UPC 781052152984	UPC 781052152991	UPC 781052153004
Order Number 500003149	Order Number 500003151	Order Number 500003152	Order Number 500003154	Order Number 500003155

ULT50



ULT60



ULT74



ULT88



ULT100



* Flame shown in image is Multi-Fire

IGNITE BOLD®
Linear Electric Fireplaces



A Bold Statement

Incredible depth, unparalleled flames and an increased viewing height create a focal piece in your space.

Energy Efficiency

Patented Comfort\$aver® technology reduces energy usage while keeping the room temperature stable and cozy.

Design Versatility

Install the fireplace your way to fit your space. Front-facing, right or left corner and bay, all in one box.

Multi-fire® Flame Effect

Patented Dimplex flame effect produces vivid, realistic flames that ignite the senses.

Now Outdoor Certified




Certified for outdoor use, Ignite Bold enhances your pool or patio with a striking flame and dependable heat.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



XLF5017-XD 50" Linear Electric Fireplace	XLF6017-XD 60" Linear Electric Fireplace	XLF7417-XD 74" Linear Electric Fireplace	XLF8817-XD 88" Linear Electric Fireplace	XLF10017-XD 100" Linear Electric Fireplace
Product Dimensions (WxHxD) 50-1/2 × 23-7/8 × 12-1/8 in 128.4 × 60.7 × 30.7 cm	Product Dimensions (WxHxD) 63-1/8 × 23-7/8 × 12-1/8 in 160.3 × 60.7 × 30.7 cm	Product Dimensions (WxHxD) 75-5/8 × 23-7/8 × 12-1/8 in 192.2 × 60.7 × 30.7 cm	Product Dimensions (WxHxD) 88-1/4 × 23-7/8 × 12-1/8 in 224.2 × 60.7 × 30.7 cm	Product Dimensions (WxHxD) 100-3/4 × 23-7/8 × 12-1/8 in 255.9 × 60.7 × 30.7 cm
Carton Dimensions (WxHxD) 55-3/8 × 28-3/8 × 16-4/8 in 140.5 × 72 × 42 cm	Carton Dimensions (WxHxD) 66-7/8 × 28-3/8 × 16-4/8 in 170 × 72 × 42 cm	Carton Dimensions (WxHxD) 80-2/8 × 28-3/8 × 16-4/8 in 203.8 × 72 × 42 cm	Carton Dimensions (WxHxD) 92-2/8 × 28-3/8 × 16-4/8 in 234.4 × 72 × 42 cm	Carton Dimensions (WxHxD) 105-1/2 × 28-3/8 × 16-4/8 in 268.0 × 72 × 42 cm
Packaged Weight 124.6 lbs / 56.5 kg	Packaged Weight 147.7 lbs / 67.0 kg	Packaged Weight 171.5 lbs / 77.8 kg	Packaged Weight 201.5 lbs / 91.4 kg	Packaged Weight 223.3 lbs / 101.3 kg
UPC 781052137226	UPC 781052137233	UPC 781052137257	UPC 781052137264	UPC 781052137271
Order Number X-XLF5017-XD	Order Number X-XLF6017-XD	Order Number X-XLF7417-XD	Order Number X-XLF8817-XD	Order Number X-XLF10017-XD

XLF5017-XD



XLF6017-XD



XLF7417-XD



XLF8817-XD




XLF10017-XD



Bay



Linear Electric Fireplaces



Comfort & Aesthetic

Stunning flames, ember bed and lifelike driftwood work together to create an authentic fire experience.

Energy Efficiency

Patented ComfortSaver® technology reduces energy usage while keeping the room temperature stable and cozy.

Complete Personalization

Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Seamless Installation

Fully recesses into a 2×6 wall with or without trim for an edgeless design.

Now Outdoor Certified




Indoor elegance meets outdoor durability, Ignite Evolve is ready for outdoor living.



Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



EVO50
50" Linear Electric Fireplace

Product Dimensions (WxHxD)
51-3/8 × 16-1/2 × 5-3/4 in
130.6 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
56-1/2 × 21-1/2 × 12-3/8 in
143.5 × 54.6 × 31.2 cm

Packaged Weight
84.9lb / 38.6kg

UPC
781052151987

Order Number
500002573

EVO60
60" Linear Electric Fireplace

Product Dimensions (WxHxD)
61-1/4 × 16-1/2 × 5-3/4 in
155.6 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
66-1/2 × 21-1/2 × 12-3/8 in
168.9 × 54.6 × 31.2 cm

Packaged Weight
99.7lb / 45.3kg

UPC
781052151994

Order Number
500002574

EVO74
74" Linear Electric Fireplace

Product Dimensions (WxHxD)
75-3/8 × 16-1/2 × 5-3/4 in
191.4 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
81-1/8 × 21-1/2 × 12-3/8 in
206.0 × 54.6 × 31.2 cm

Packaged Weight
116.8lb / 53.1kg

UPC
781052152007

Order Number
500002608

EVO100
100" Linear Electric Fireplace

Product Dimensions (WxHxD)
101-3/8 × 16-1/2 × 5-3/4 in
257.5 × 41.9 × 14.6 cm

Carton Dimensions (WxHxD)
106-3/4 × 21-1/2 × 12-3/8 in
271.0 × 54.6 × 31.2 cm

Packaged Weight
159.3lb / 72.4 kg

UPC
781052152014

Order Number
500002563

EVO50




EVO60



EVO74





EVO100



IGNITE XL[®]

Linear Electric Fireplaces



- Classic Charm

Flickering flames and acrylic crystals create a stunning feature while providing ambience to any room.
- Energy Efficiency

Enjoy perfect comfort with the patented Comfort\$aver[®] technology, reducing energy usage while keeping the room temperate stable.
- Simple Comfort

Instantly transform your space into a cozy retreat with simple controls and zero hassles.
- Seamless Installation

Fully recesses into a 2×6 wall with or without trim for an edgeless design.


Now Outdoor Certified



Create lasting memories outdoors, Ignite XL is certified for outdoor spaces to make every occasion extraordinary.



Easy Control
Use the included remote or hidden touch controls to easily operate your fireplace.



XLF50 50" Linear Electric Fireplace	XLF50 60" Linear Electric Fireplace	XLF74 74" Linear Electric Fireplace	XLF100 100" Linear Electric Fireplace
Product Dimensions (WxHxD) 51-3/8 × 16-1/2 × 5-3/4 in 130.6 × 41.9 × 14.6 cm	Product Dimensions (WxHxD) 61-3/8 × 16-1/2 × 5-3/4 in 156.0 × 41.9 × 14.6 cm	Product Dimensions (WxHxD) 75-3/8 × 16-1/2 × 5-3/4 in 191.6 × 41.9 × 14.6 cm	Product Dimensions (WxHxD) 101-3/8 × 16-1/2 × 5-3/4 in 257.6 × 41.9 × 14.6 cm
Carton Dimensions (WxHxD) 56-3/8 × 21-1/4 × 12 in 143.2 × 54.0 × 30.5 cm	Carton Dimensions (WxHxD) 68-3/8 × 21-1/4 × 12 in 173.7 × 54.0 × 30.5 cm	Carton Dimensions (WxHxD) 80-1/8 × 21-1/4 × 12 in 203.4 × 54.0 × 30.5 cm	Carton Dimensions (WxHxD) 106-3/8 × 21-1/4 × 12 in 270.2 × 54.0 × 30.5 cm
Packaged Weight 73.9 lbs / 33.5 kg	Packaged Weight 86.8 lbs / 39.4 kg	Packaged Weight 104.7 lbs / 47.5 kg	Packaged Weight 137.6 lbs / 62.4 kg
UPC 781052098725	UPC 781052118478	UPC 781052098756	UPC 781052104594
Order Number X-XLF50	Order Number X-XLF60	Order Number X-XLF74	Order Number X-XLF100


XLF50



XLF60



XLF74



XLF100



IGNITE® Quest

Hybrid Electric Fireplace



Design Without Compromise

Blend the timeless comfort of a firebox with the sleek sophistication of a linear design, more than a fireplace, it's a statement.

Confidence in Every Moment

Cool-to-touch glass and advanced safety features mean peace of mind, so you can focus on what matters: creating memories around the fire.

Authentic Ambiance

From glowing logs to a pulsating ember bed, every detail evokes the charm of a wood-burning fire, without the mess.

Bay Installation

Create a stunning focal point with the optional three-sided bay design, Quest adapts beautifully.




Designed for the moments you'll talk about later.



Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the included wall-mountable (optional) remote control or 3-button control panel on the fireplace.



QST30 30" Electric Fireplace

Product Dimensions (WxHxD)
30-1/8 × 36-5/8 × 17-1/2 in
77.7 × 93.0 × 44.5 cm

Carton Dimensions (WxHxD)
34-2/8 × 41 × 23-4/8 in
86.9 × 104.2 × 59.5 cm

Packaged Weight
203 lbs / 92 kg

UPC
781052157620

Order Number
500005298

QST36 36" Electric Fireplace

Product Dimensions (WxHxD)
36-1/8 × 36-5/8 × 17-1/2 in
92.9 × 93.0 × 44.5 cm

Carton Dimensions (WxHxD)
40-2/8 × 41 × 23-4/8 in
102.2 × 104.2 × 59.5 cm

Packaged Weight
216 lbs / 98 kg

UPC
781052157637

Order Number
500005299

QST42 42" Electric Fireplace

Product Dimensions (WxHxD)
42-1/8 × 36-5/8 × 17-1/2 in
108.2 × 93.0 × 44.5 cm

Carton Dimensions (WxHxD)
46-2/8 × 41 × 23-4/8 in
117.4 × 104.2 × 59.5 cm

Packaged Weight
229 lbs / 104 kg

UPC
781052157644

Order Number
500005300

QST48 48" Electric Fireplace

Product Dimensions (WxHxD)
48-1/8 × 36-5/8 × 17-1/2 in
124.3 × 93.0 × 44.5 cm

Carton Dimensions (WxHxD)
52-2/8 × 41 × 23-4/8 in
132.6 × 104.2 × 59.5 cm

Packaged Weight
242 lbs / 110 kg

UPC
781052157651

Order Number
500005301

QST30




QST36



QST42





QST48



SERIES	IGNITE ULTRA®	IGNITE BOLD®	IGNITE EVOLVE®	IGNITE XL®	IGNITE ® QUEST
Size	50", 60", 74", 88", 100"	50", 60", 74", 88", 100"	50", 60", 74", 100"	50", 60", 74", 100"	30", 36", 42", 48"
Ember Bed	Quick Connect Logs with Tumbled Glass Embers	Lifelike Driftwood with Acrylic Crystals	Tumbled Glass, Lifelike Driftwood, Acrylic Crystals	Acrylic Crystals	Quick Connect Logs with Tumbled Glass Embers
Ember Bed Themes Brightness	3 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	8 Themes Adjustable Brightness	3 Themes Adjustable Brightness
Flame Color Themes Brightness	9 Themes Adjustable Brightness	7 Themes Adjustable Brightness	7 Themes Adjustable Brightness	1 Theme	9 Themes Adjustable Brightness
Top Light	•	•			
Flame Effect	Flex-Flame Feature: Dynamic-Fire and Multi-Fire®	Multi-Fire®			
Flame Technology	Optiflame®				
Flame Speed	4	5	5		4
Flame Only Mode	•	•	•	•	•
Heater Only Mode	•	•	•	•	•
Air Circulation	•	•	•		•
Heat Operation	ComfortSaver® Heating				
Heating Area	1000 sq. ft.				
Heat Disable	Onboard Controls or Hardware Disconnect				
Built-in Thermostat	•	•	•	•	•
Wiring Type	Hardwire (Optional 120 V Plug Kit Included)				
Volts	120 240				
Watts	1500 2500				
BTU	5118 8530				
Operating Controls	Onboard Remote App	Hidden touch controls Remote App		Hidden touch controls Remote	Onboard Remote App
Flame Connect App	•	•	•		•
Smart self-diagnostics	•	•	•		•
Display		•	•	•	
Timer	•	•	•	•	•
Installation Options	Fully recessed-front, right/left corner, and bay. Linking Kit - to connect multiple units		Fully recessed - 2×6, Partially recessed - 2×4 with trim-kit accessory		Fully recessed-front, right/left corner, and (with optional kit).
Optional Accessories	Ember Beds and Log Sets	Modular Linking Kit, Plug Kit, Ember Beds and Log Sets	Trim Kit, Ember Beds and Log Sets		Bay, left and right installation accessory kit
Warranty	5-year parts and service	5-year limited Indoor 1-year limited Outdoor			5-year parts and service



Optimyst® Linear
Vapor Fireplace



Breathtaking
Ambience

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean &
Sustainable

Optimyst® requires no fuel or exhaust venting as it runs on water and electricity and uses reduced energy for heating.

Unparalleled
Experience

You'll have a completely unique fire experience through personalization options; no flame shape is the same.

Continuous Water
Supply


Designed to connect to main water line providing continuous operation. Accessory plumbing kit is available.



Optimyst Linear Firebox includes Acrylic Crystals and Driftwood Ember Bed.



Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



OLF46-AM
Optimyst® 46" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
47-1/2 × 31-1/2 × 11-7/8 in
120.6 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
50-3/8 × 34-3/8 × 15-1/2 in
127.8 × 87.1 × 39.1 cm

Packaged Weight
149.6 lbs / 68 kg

UPC
781052136786

Order Number
X-136786

OLF46-AM



OLF66-AM
Optimyst® 66" Linear
Vapor Fireplace

Product Dimensions (WxHxD)
67-1/2 × 31-1/2 × 11-7/8 in
171.4 × 80.0 × 30.0 cm

Carton Dimensions (WxHxD)
70-3/8 × 34-3/8 × 15-1/2 in
178.6 × 87.1 × 39.1 cm

Packaged Weight
206.8 lbs / 94 kg

UPC
781052136793

Order Number
X-136793

OLF66-AM




OLF86-AM



Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® Aura
Vapor Fireplace



Flame Realism

Produces ultra realistic 3D flames using water vapor, courtesy of the Optimyst® flame effect.

User-Friendly

Designed for a stress-free experience, equipped with a front drawer for easy water reservoir refilling and Flame Connect App compatibility.

Sustainable Hearth

Combines sustainability with energy-efficiency, providing an environmentally conscious heating and design solution.

Configuration Options

Enjoy the same fireplace with your choice of four layouts, front-facing, left or right corner, or bay, all in one box.




Equipped with a pull-out drawer for easy access to refill water bottle.




Total Control

For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control or hidden control panel.



Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® Revive Vapor Fireplace



Flame Realism

Produces ultra realistic 3D flames using water vapor, courtesy of the Optimyst® flame effect.

Adaptable Design

Versatile design suits modern or traditional settings, with a pull-out drawer for easy water refills, enabling installation anywhere.

Silent and Adjustable

Experience silent, fully variable flames for diverse moods with option to enjoy the ambience without the heat.

Revive Your Hearth

Transform your unused fireplace with this sleek insert that fits perfectly into your existing hearth, offering a realistic 3D flame effect and cozy warmth.



Equipped with a pull-out drawer for easy access to refill water bottle.



Easy Control

Use the included remote or hidden control panel to easily operate your fireplace.



Enjoy 365 days with or without heat

ABN15-RGB-AM
Optimyst® Revive 25"
Vapor Fireplace
Product Dimensions (WxHxD)
25-1/4 x 24-7/8 x 12-7/8 in
63.9 x 63.3 x 32.8 cm
Carton Dimensions (WxHxD)
30-1/8 x 34-7/8 x 18-1/8 in
76.5 x 88.5 x 46.0 cm
Packaged Weight
68.2 lbs / 31.0 kg
UPC
781052154094
Order Number
500003863



Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® Mapleton

Vapor Fireplace



Scan for more information

Lifelike Flames

Optimyst® creates a captivating fireside ambiance using innovative water vapor technology that imitates true flames, with minimal maintenance.

Portable Flexibility

Enjoy flexible installation anywhere, no venting, hardwiring, or renovations required. Just plug it in and place it, making it ideal for condos, rentals, or room makeovers.

Style with a Statement

With its matte black finish, cast iron accents, and hand finished log set with storage, this fireplace adds style to any space. Enjoy with or without heat, perfect for creating a cozy vibe year-round.

Premium Design


Cast iron door, front, and top panel with included log set for authentic look.



Features an easy water refill tank for up to 6 hours of continuous operation.



Sight and Sound
Control the flames, heat and sounds with the touch of a button.




MPT-LS-AM
Optimyst® Mapleton 18" Vapor Fireplace
Product Dimensions (WxHxD)
18-1/4 × 38× 17-1/2 in
46.3 × 96.5 × 43.8 cm
Carton Dimensions (WxHxD)
46 × 24 × 21 in
116 × 60.5 × 53 cm
Packaged Weight
178.2 lbs / 81 kg
UPC
781052154674
Order Number
500004330



Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® e-MatriX
Vapor Fireplace



Elegant
Centrepiece

Elevate room atmosphere with lifelike flames and a captivating contemporary design, serving as a stylish focal point.

Year-Round
Enjoyment

Experience year-round realistic flames without heat, providing versatile allure for every season.

Design
Flexibility

Tailor to your vision with four installation choices: front-facing, left-corner, right-corner, or bay.

Continuous
Water Supply

Designed to connect to main water line providing continuous operation.



Multi-function Remote
Control the fireplace features from the comfort of your chair.

Available in four installation options—ront-facing, left-corner, right-corner or bay. Each sold separately.



FEF3226L1
Optimyst® e-MatriX 35"
Vapor Fireplace

Product Dimensions (WxHxD)
35-1/8 × 37-5/8 × 20 in
89.2 × 96.0 × 50.8 cm

Carton Dimensions (WxHxD)
50-5/8 × 48.9 × 25.6 in
128.52 × 124.21 × 65.02 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132016

Order Number
X-FEF3226L1

FEF3226L2L
Optimyst® e-MatriX 35"
Vapor Fireplace

Product Dimensions (WxHxD)
37-1/8 × 37-5/8 × 20 in
94.3 × 96.0 × 50.8 cm

Carton Dimensions (WxHxD)
50.6 × 48.9 × 25.6 in
128.52 × 124.21 × 65.02 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132023

Order Number
X-FEF3226L2L

FEF3226L2R
Optimyst® e-MatriX 35"
Vapor Fireplace

Product Dimensions (WxHxD)
37-1/8 × 37-5/8 × 20 in
94.3 × 96.0 × 50.8 cm

Carton Dimensions (WxHxD)
50.6 × 48.9 × 25.6 in
128.52 × 124.21 × 65.02 cm

Packaged Weight
302 lbs / 137 kg

UPC
781052132047

Order Number
X-FEF3226L2R

FEF3226L3
Optimyst® e-MatriX 35"
Vapor Fireplace

Product Dimensions (WxHxD)
39-1/8 × 37-5/8 × 20 in
99.4 × 96.0 × 50.8 cm

Carton Dimensions (WxHxD)
50.6 × 48.9 × 25.6 in
128.52 × 124.21 × 65.02 cm


Packaged Weight
302 lbs / 137 kg

UPC
781052132054

Order Number
X-FEF3226L3

Optimyst® Cassette

Vapor Fireplace



Stunning Atmosphere

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst® Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation

With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.

Continuous Water Supply


Designed to connect to main water line providing continuous operation. Accessory plumbing kit is available.



Connect Optimyst® Cassette units together to create a custom length or shape.



Sight and Sound Remote
Control the flames and sound at the touch of a button.



CDFI500-PRO Optimyst® 500 Cassette

Product Dimensions (WxHxD)
20-1/8 x 9-7/8 x 12 in
51.1 x 25.1 x 30.3 cm

Carton Dimensions (WxHxD)
24-3/8 x 13 3/4 x 18 in
62.0 x 35.0 x 45.7 cm

Packaged Weight
24.2 lbs / 11 kg

UPC
781052113053



Order Number
X-2113053



Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.

Optimyst® RGB Cassette

Vapor Fireplace



Stunning Atmosphere

Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.

Clean & Sustainable

Optimyst® Cassette requires no fuel or venting as it runs on water and electricity.

Limitless Installation

With endless possibilities, build the ideal fireplace in any location, bringing your dream design to life.


Continuous Water Supply

Designed to connect to main water line providing continuous operation. Accessory plumbing kit is available.



Total Control
For ultimate control of your fireplace, use the Dimplex Flame Connect App. You can also use the included remote control.

NEW next generation Optimyst® 500 Cassette featuring RGB Color Lights.



CDFI500-PRO-RGB Optimyst® RGB Cassette

Product Dimensions (WxHxD)
20-1/8 x 9-7/8 x 12 in
51.1 x 25.1 x 30.3 cm

Carton Dimensions (WxHxD)
24-3/8 x 13 3/4 x 18
62.0 x 35.0 x 45.7 cm

Packaged Weight
27.6 lbs / 12.5 kg


UPC
781052152670

Order Number
500004172



Flames may not be exactly as shown. Optimyst flames are dependent on installation environment.


Optimyst® Pro Box RGB Vapor Fireplace



- Captivating Ambience**
Optimyst® delivers a world class electric fireplace experience that flawlessly imitates true flames and smoke.
- Clean & Sustainable**
Optimyst® Pro Box RGB requires no fuel or venting as it runs on water and electricity and uses reduced energy for heating.
- Seamless Design**
The pre-built box simplifies the installation without compromising on design.
- Single or Double-sided**
Add a glass panel for easy conversion to a see-through unit (glass sold separately).




Now pre-installed with RGB Cassettes.



CBX1000-AM Optimyst® 1000 Box	CBX1500-AM Optimyst® 1500 Box
Product Dimensions (WxHxD) 44-7/8 × 31-3/4 × 16-1/4 in 114.0 × 80.6 × 41.2 cm	Product Dimensions (WxHxD) 64-7/8 × 31-3/4 × 16-1/4 in 164.8 × 80.6 × 41.2 cm
Carton Dimensions (WxHxD) 48-1/2 × 37 × 18-1/8 in 123.0 × 94.0 × 46.0 cm	Carton Dimensions (WxHxD) 68-3/8 × 37-1/2 × 17-1/2 in 173.7 × 94.5 × 44.5 cm
Packaged Weight 81.4 lbs / 37 kg	Packaged Weight 111.5 lbs / 50.6 kg
UPC 781052154650	UPC 781052154667
Order Number 500004329	Order Number 500004269

CBX1000-AM



CBX1500-AM



SERIES	OPTIMYST® LINEAR	OPTIMYST® AURA	OPTIMYST® REVIVE	OPTIMYST® MAPLETON
Size	46", 66", 86"	30"	25"	18-1/4"
Ember Bed	Lifelike Driftwood with Acrylic Crystals	Realistic Charred Logs		
Flame Color Themes Brightness	8 Themes Adjustable Brightness	6 Themes Adjustable Brightness		
Top Light	•			
Flame Effect	Optimyst® Flame effect			
Flame Technology	Optimyst®			
Crackling Sound Effect	•	•	•	•
Flame Only Mode	•	•	•	•
Air Circulation	•	•	•	
Heat Operation	Comfort\$aver® Heating	Powerful Heating		
Heating Range	1000 sq. ft.	400 sq. ft.	400 sq. ft.	340 sq. ft.
Heat Disable	•	•	•	
Built-in Thermostat	•	•	•	•
Wiring Type	Hardwire (120V Plug Kit Sold Separately)	Hardwire (120V Plug kit included) Installation required		Plug-In
Volts	120 240	120	120	120
Watts	46" = 1220 1920 66" = 1480 2180 86" = 1020 (flame only) 2400	1275	1250	1150
BTU	46" = 4163 6551 66" = 5050 7438 86" = 3480 (flame only) 8189	4350	4265	3924
Operating Controls	Hidden touch controls Remote	Onboard controls Remote		
Flame Connect App	•	•	•	
Self-diagnostics	•	•		
Display	•	•	•	•
Timer	•	•	•	•
Installation Options	Fully recessed	Front, Left, Right, or Bay	Front	Freestanding
Direct Plumbing	Hard Plumb	Easy Access Refill Drawer	Easy Access Refill Drawer	
Optional Accessories	Plumb Kit, Plug Kit, Ember Beds and Log Sets		Trim Kit	Flue collar attachment
Warranty	2-year parts and service			


SERIES	OPTIMYST® E-MATRIX	OPTIMYST® PRO BOX RGB	OPTIMYST® CASSETTE	OPTIMYST® RGB CASSETTE
Size	35"	40", 60"	20"	20"
Ember Bed	Realistic Charred Logs			
Flame Color Themes Brightness		5 Themes Custom Colors via the Flame Connect App		5 Themes Custom Colors via the Flame Connect App
Top Light				
Flame Effect	Optimyst® Flame effect			
Flame Technology	Optimyst®			
Crackling Sound Effect	•	•	•	•
Flame Only Mode	•	•	•	•
Air Circulation				
Heat Operation	Heat-free	Supplemental heating	Heat-free (Optional Heater Accessory available)	
Heating Range		400 sq. ft.		
Heat Disable		•		
Built-in Thermostat				
Wiring Type	Hardwire (120V Plug kit sold separately)			
Volts	120	120	120	120
Watts	270	40" = 1460 60" =1490	230	230
BTU		40" = 4984 60" = 5087	785	785
Operating Controls	Membrane controls Remote			
Flame Connect App		•		•
Self-diagnostics		Basic	Basic	Basic
Display				
Timer				
Installation Options	Front, Right, Left, or Bay	One-sided or Double-sided	Fully customizable	
Direct Plumbing	Hard Plumb			
Optional Accessories		Plumb Kit, Plug Kit, Ember Beds and Log Sets		
Warranty	2-year parts and service			

Vital Sense

Linear Electric Fireplaces



NEW!



Scan for more information

Style Within Reach

A clean and modern design that brings style to your home, offering exceptional value without compromise.

Flexible Install

Install with included wall-mount brackets or frame an opening for a sleek, recessed finish.

Unlimited Possibilities


Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Seamless Installation

Flexible installation with 1500 watts at 120 volts, hard-wire or convertible to a plug-in.

Versatile Ambiance

With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.



SEN50 50" Linear Electric Fireplace

Product Dimensions (WxHxD)
50-1/4 × 19-1/2 × 7-1/8 in
127.7 × 49.5 × 18.1 cm

Carton Dimensions (WxHxD)
53-15/16 × 23-5/8 × 11-1/4 in
137.0 × 60.0 × 28.5 cm

Packaged Weight
88 lbs / 40 kg

UPC
781052157323

Order Number
500005119

SEN60 60" Linear Electric Fireplace

Product Dimensions (WxHxD)
60-3/8 × 19-1/2 × 7-1/8 in
153.3 × 49.5 × 18.1 cm

Carton Dimensions (WxHxD)
64-3/4 × 23-5/8 × 11-1/4 in
164.5 × 60.0 × 28.5 cm

Packaged Weight
103.4 lbs / 47 kg

UPC
781052157330

Order Number
500005120

SEN74 74" Linear Electric Fireplace

Product Dimensions (WxHxD)
74-3/16 × 19-1/2 × 7-1/8 in
188.4 × 49.5 × 18.1 cm

Carton Dimensions (WxHxD)
78-1/2 × 23-5/8 × 11-1/4 in
199.5 × 60.0 × 28.5 cm

Packaged Weight
115.3 lbs / 52.3 kg

UPC
781052157347

Order Number
500005121



Total Control
For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

SEN50




SEN60



SEN74



Vital Spark
Built-In Electric Firebox



Scan for more information

Style Within Reach

A clean and modern design that brings style to your home, offering exceptional value without compromise.

Enhanced Realism

A natural, authentic experience with molded logs that mimic real wood, and a flickering ember bed that lights up in 5 colors.

Convenient Operation


Easy to customize with the remote, on board controls or the Glen Dimplex Connect app.

Seamless Installation

Flexible installation with 1500 watts at 120 volts, hard-wire or convertible to a plug-in.

Versatile Ambiance

With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.



- Powerful Heating
- Crackling Sound Effects
- All Season Flames
- LED Flame Technology



Total Control
For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

SPK26
26" Electric Firebox

Product Dimensions (WxHxD)
26-1/2 x 17-3/4 x 7-1/2 in
67.3 x 45.0 x 19.0 cm

Carton Dimensions (WxHxD)
11 x 28-3/4 x 22 in
27.9 x 73.0 x 55.9 cm

Packaged Weight
38.5 lbs / 17.5 kg

UPC
781052157262

Order Number
500005113

SPK26



SPK28
28" Electric Firebox

Product Dimensions (WxHxD)
27-3/8 x 23-3/8 x 7-1/2 in
69.4 x 59.4 x 19.0 cm

Carton Dimensions (WxHxD)
11-1/2 x 30-1/2 x 27-3/4 in
29.2 x 77.5 x 70.5 cm

Packaged Weight
46.2 lbs / 33 kg

UPC
781052157279

Order Number
500005114

SPK28



SPK33
33" Electric Firebox

Product Dimensions (WxHxD)
33-1/16 x 23 x 7-1/2 in
84.0 x 58.4 x 19.0 cm

Carton Dimensions (WxHxD)
11-7/8 x 36-1/2 x 27-3/8 in
30.2 x 92.7 x 69.5 cm

Packaged Weight
53.9 lbs / 24.5 kg

UPC
781052157286

Order Number
500005115

SPK33



SPK36
36" Electric Firebox

Product Dimensions (WxHxD)
37-1/4 x 26-1/2 x 7-1/2 in
94.9 x 67.4 x 19.0 cm

Carton Dimensions (WxHxD)
11-7/8 x 40 x 30-1/2 in
30.2 x 101.6 x 77.5 cm

Packaged Weight
64.9 lbs / 29.5 kg

UPC
781052157293

Order Number
500005116

SPK36



SPK42
42" Electric Firebox

Product Dimensions (WxHxD)
43-1/4 x 31 x 7-1/2 in
109.8 x 78.8 x 19.0 cm

Carton Dimensions (WxHxD)
11-7/8 x 46-1/2 x 35-1/2 in
119.4 x 61 x 28 cm

Packaged Weight
81.4 lbs / 37 kg

UPC
781052157309

Order Number
500005117

SPK42



SERIES	VITAL SENSE	VITAL SPARK
Size	50", 60", 74"	26", 28", 33", 36", 42"
Ember Bed	Tumbled Glass	Glowing Log Set
Flame Color Themes Brightness	13 Flame Colors 3 Brightness Settings	
Flame Effect	Realistic Flame Effect	
Flame Technology	LED Flame Technology	
Flame Speed	3	3
Flame Only Mode	•	•
Heater Only Mode	•	•
Air Circulation	•	•
Heat Operation	Louver-less, fan-forced circulation	
Heating Range	up to 1000 sq. ft	
Heat Disable	•	•
Built-in Thermostat	•	•
Wiring Type	Hardwire (120 V Plug kit included) Installation required	Hard wire or plug-in capabilities - 120 V plug kit included
Volts	120	
Watts	1500	
BTU	5118	
Operating Controls	Built-in Touch Controls Multi-function Remote	
Glen Dimplex Connect app	•	•
Smart Self-diagnostics		•
Display	•	•
Timer	•	•
Installation Options	Front, Full Recessed or Wall Mount with included brackets	Fully recessed
Optional Accessories	Trim Kit, Realistic Log Set	
Warranty	1-year Limited	




Revillusion®

Built-in Electric Firebox



A Dazzling Ember Bed Upgrade
More light, tumbled glass, and black gravel create a deeper, more dynamic glow that brings your fireplace to life.



Timeless Aesthetic
The ageless appeal of the fireplace creates an authentic, ever-lasting impression.

Design with Style
Tailor your fireplace to your desired look and feel by selecting between a more traditional or modern aesthetic.

Complete Perspective
Enjoy a full-depth view of the fireplace with the ability to see clearly through the flames.


Authentic Realogs®
Handcrafted from real wood, these logs feature inner LED lights that emit a lifelike, pulsating glow, simulating burning logs.



Available in 4 Backer Styles choose the perfect backdrop for a look that's uniquely yours.



Mood-maker Remote
Customize the light colour and intensity for a fireplace that reflects your personality.



REV24-HB (Herringbone) REV24-WC (Concrete) REV24-BL (Black) REV24-NB (Neutral Brick) 24" Electric Firebox	REV30-HB (Herringbone) REV30-WC (Concrete) REV30-BL (Black) REV30-NB (Neutral Brick) 30" Electric Firebox	REV36-HB (Herringbone) REV36-WC (Concrete) REV36-BL (Black) REV36-NB (Neutral Brick) 36" Electric Firebox	REV36P-HB (Herringbone) REV36P-WC (Concrete) REV36P-BL (Black) REV36P-NB (Neutral Brick) 36" Portrait Electric Firebox	REV42-HB (Herringbone) REV42-WC (Concrete) REV42-BL (Black) REV42-NB (Neutral Brick) 42" Electric Firebox
Product Dimensions (WxHxD) 25-1/8 × 22-7/8 × 12-1/8 in 64.0 × 58.1 × 30.8 cm	Product Dimensions (WxHxD) 31-1/8 × 26-1/2 × 12-1/8 in 79.2 × 67.3 × 30.7 cm	Product Dimensions (WxHxD) 37-1/8 × 26-1/2 × 12-1/8 in 94.4 × 67.3 × 30.7 cm	Product Dimensions (WxHxD) 37-1/8 × 31 × 12-1/8 in 94.4 × 78.8 × 30.7 cm	Product Dimensions (WxHxD) 43-1/4 × 31 × 12-1/8 in 109.8 × 78.8 × 30.7 cm
Carton Dimensions (WxHxD) 29-3/8 × 27-1/2 × 16-5/8 in 74.4 × 69.9 × 42.1 cm	Carton Dimensions (WxHxD) 35-1/4 × 31-3/4 × 16-3/8 in 89.4 × 80.5 × 41.1 cm	Carton Dimensions (WxHxD) 41-3/8 × 31-3/4 × 16-3/8 in 104.7 × 80.6 × 38.7 cm	Carton Dimensions (WxHxD) 41-3/8 × 35-1/2 × 16-3/8 in 105.0 × 90.7 × 41.1 cm	Carton Dimensions (WxHxD) 47-1/2 × 36-1/2 × 16-3/8 in 120.6 × 91.2 × 41.1 cm
Packaged Weight 60 lbs / 27.2 kg	Packaged Weight 86.5 lbs / 39.3 kg	Packaged Weight 96.1 lbs / 43.7 kg	Packaged Weight 104.9 lbs / 47.7 kg	Packaged Weight 115.1 lbs / 52.3 kg
UPC 781052159211 - Herringbone 781052157132 - Concrete 781052157910 - Black 781052157125 - Brick	UPC 781052159228 - Herringbone 781052157163 - Concrete 781052157927 - Black 781052157156 - Brick	UPC 781052159235 - Herringbone 781052157194 - Concrete 781052157934 - Black 781052157187 - Brick	UPC 781052159242 - Herringbone 781052157217 - Concrete 781052157941 - Black 781052157200 - Brick	UPC 781052159259 - Herringbone 781052157255 - Concrete 781052157958 - Black 781052157248 - Brick
Order Number 500005733 - Herringbone 500005128 - Concrete 500005446 - Black 500005127 - Brick	Order Number 500005734 - Herringbone 500005131 - Concrete 500005447 - Black 500005130 - Brick	Order Number 500005735 - Herringbone 500005134 - Concrete 500005448 - Black 500005133 - Brick	Order Number 500005736 - Herringbone 500005136 - Concrete 500005449 - Black 500005135 - Brick	Order Number 500005737 - Herringbone 500005140 - Concrete 500005450 - Black 500005139 - Brick

REV24



REV30



REV36




REV36P



REV42




SERIES	REVILLUSION® DELUXE	REVILLUSION®
Size	24"	30", 36", 36"P, 42"
Ember Bed	Realogs®	
Ember Bed Themes Brightness	•	•
Flame Color Settings	Adjust flame base color from red and orange	
Light Settings	Mood Lighting, Brightness and Flicker, Ambient Light Sensor	
Flame Effect	Revillusion® Flame	
Flame Technology	Optiflame®	
Flame Speed	4	
Flame Only Mode	•	•
Heater Only Mode	•	•
Heat Operation	ComfortSaver® Heating	Powerful Supplemental Heat - Option to use 240 V supply for up to 9200 BTU
Heating Range	Up to 1000 sq. ft.	
Heater Type	Ceramic	Steel Sheathed
Heat Disable	•	•
Built-in Thermostat	•	•
Wiring Type	Plug-in, with the option to Hardwire	Hardwire (Optional 120 V Plug Kit Included)
Volts	120	120 / 208 / 240
Watts	1500	1375 / 1975 / 2575
BTU	5118	4400 / 6745 / 8794
Operating Controls	Mood-maker Remote Hidden-Touch Controls	
Flame Connect App	•	•
Display	•	•
Timer	•	•
Installation Options	Built-In	
Optional Accessories	Ember Beds, Trim Kits, and Log Sets	30" Trim Kits
Warranty	2-year Limited	



SLIM
Linear Electric Fireplaces



DI Only



Sleek Elegance

The tall, dazzling flames have an impressive height, and the patented Dimplex mirror effect provides the illusion of depth.

Clean Energy

No fuel or venting is required. All the energy supplied to the unit is converted into heat, which stays in the room to keep the space warm.

Flexible Installation


Can fit flush into 2x4 framing for simple installation or can be wall-mounted with minimal obtrusion thanks to its slim design.

Dimplex Flame Effect

A blend of technology, artistry and craftsmanship that sets the standard for realism.



Multi-function Remote
Control the fireplace features from the comfort of your chair.



PLF3614-XS
36" Linear Electric Fireplace

Product Dimensions (WxHxD)
37-1/4 x 19-5/8 x 3-7/8 in
94.6 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
46-1/4 x 24-5/8 x 9-1/2 in
117.5 x 62.5 x 24.1 cm

Packaged Weight
57.8 lbs / 26.2 kg

UPC
781052137318

Order Number
X-PLF3614-XS

PLF4214-XS
42" Linear Electric Fireplace

Product Dimensions (WxHxD)
43-1/4 x 19-5/8 x 3-7/8 in
109.9 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
52 x 24-5/8 x 9-1/2 in
132.0 x 62.5 x 24.1 cm

Packaged Weight
64.8 lbs / 29.4 kg

UPC
781052137301

Order Number
X-PLF4214-XS

PLF5014-XS
50" Linear Electric Fireplace

Product Dimensions (WxHxD)
51-1/4 x 19-5/8 x 3-7/8 in
130.2 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
60 x 24-5/8 x 9-1/2 in
152.5 x 62.5 x 24.1 cm

Packaged Weight
74.9 lbs / 34.0 kg

UPC
781052137295

Order Number
X-PLF5014-XS

PLF6014-XS
60" Linear Electric Fireplace

Product Dimensions (WxHxD)
61-1/4 x 19-5/8 x 3-7/8 in
155.6 x 49.9 x 9.8 cm

Carton Dimensions (WxHxD)
69-7/8 x 24-5/8 x 9-1/2 in
177.5 x 62.5 x 24.1 cm

Packaged Weight
87.1 lbs / 39.5 kg

UPC
781052137288

Order Number
X-PLF6014-XS

PLF3614



PLF4214



PLF5014



PLF6014




LINEARS

SERIES	SLIM LINEAR (DI ONLY)
Size	36", 42", 50", 60"
Ember Bed	Acrylic Crystals
Ember Bed Themes Brightness	8 Themes Adjustable Brightness
Flame Color Themes Brightness	7 Themes Adjustable Brightness
Flame Effect	Dimplex®
Flame Technology	Optiflame®
Flame Speed	5
Flame Only Mode	•
Heater Only Mode	•
Heat Operation	Powerful supplemental heating
Heating Range	1000 sq. ft.
Heat Disable	Onboard controls or Hardware disconnect
Built-in Thermostat	•
Wiring Type	Hardwire (120 V Plug Kit Sold Separately)
Volts	120
Watts	1500
BTU	5118
Operating Controls	Hidden touch controls Remote App
Flame Connect App	•
Self Diagnostics	•
Display	•
Timer	•
Installation Options	Fully recessed - 2×4, Wall-mount
Optional Accessories	Plug Kit, Ember Beds and Log Sets
Warranty	2-year parts and service



BF Series

Built-in Electric Firebox



Classic Elegance
The fireplace heating and design elements work together to provide a welcoming environment.

Traditional Design
The full brick interior brings the warmth and comfort of a traditional fireplace into your home.

Intuitive Operation
Simple-to-use controls ensure a hassle-free and enjoyable fireplace experience.

Realistic Logs
Logs molded from actual wood glow in concert with the flames to create a realistic fireplace experience.



Customize your look with optional trim kits, doors, and glass accessories.



BF33DXP
33" Deluxe Electric Firebox

Product Dimensions (WxHxD)
32-3/4 x 28-3/4 x 14-1/4 in
83.0 x 73 x 36.3 cm

Carton Dimensions (WxHxD)
33-1/8 x 31-1/2 x 16-3/4 in
84.1 x 80.0 x 42.6 cm

Packaged Weight
79.4 lbs / 36.1 kg

UPC
781052045781

Order Number
X-781052045781

BF33DXP



BF39STP
39" Standard Electric Firebox

Product Dimensions (WxHxD)
38-3/4 x 32-3/4 x 15-1/4 in
98.4 x 83.1 x 38.7 cm

Carton Dimensions (WxHxD)
39 x 35 x 17-1/2 in
99.1 x 88.9 x 44.5 cm

Packaged Weight
89.7 lbs / 40.7 kg

UPC
781052045798

Order Number
X-BF39STP

BF39STP



BF39DXP
39" Deluxe Electric Firebox

Product Dimensions (WxHxD)
38-3/4 x 32-3/4 x 15-1/4 in
98.4 x 83.1 x 38.7 cm

Carton Dimensions (WxHxD)
39 x 34-1/2 x 17-1/2 in
99.1 x 87.6 x 44.5 cm

Packaged Weight
87 lbs / 39.5 kg

UPC
781052045804

Order Number
X-BF39DXP

BF39DXP



BF45DXP



BF45DXP
45" Deluxe Electric Firebox

Product Dimensions (WxHxD)
44-3/4 x 32-3/4 x 15-1/4 in
113.7 x 83.1 x 38.7 cm

Carton Dimensions (WxHxD)
45-3/4 x 35-1/2 x 17-1/2 in
116.2 x 90.2 x 44.5 cm

Packaged Weight
106.5 lbs / 48.3 kg

UPC
781052052390

Order Number
X-BF45DXP

Plug-in Electric Firebox



Quick Comfort

Simply plug-in and enjoy the flickering flames and cozy warmth.

Elevate Ambience

Have your choice of ember beds to enhance your aesthetic, complementing a wide range of design styles.

Adaptable Installation

Retrofit into an existing fireplace or construct a custom fireplace surround or mantel to achieve your desired look.


Dimplex Flame Effect

A blend of technology, artistry and craftsmanship that sets the standard for realism.



Multi-function Remote
Control the fireplace features from the comfort of your chair.

Available with Realogs® for classic charm or Acrylic Crystals for modern sparkle.



XHD23L (Realogs®)
XHD23G (Acrylic Crystals)
23" Electric Firebox

Product Dimensions (WxHxD)
23 × 20-1/2 × 7-1/2 in
58.4 × 52.0 × 19.1 cm

Carton Dimensions (WxHxD)
25-5/8 × 24 × 10-5/8 in
65.0 × 61.0 × 27.0 cm

Packaged Weight
29.5 lbs / 13.4 kg

UPC
781052115125 - Realogs
781052115118 - Acrylic Crystals

Order Number
X-XHD23L - Realogs
X-XHD23G - Acrylic Crystals

XHD26L (Realogs®)
XHD26G (Acrylic Crystals)
26" Electric Firebox

Product Dimensions (WxHxD)
26 × 18-7/8 × 7-1/2 in
66.0 × 47.9 × 19.1 cm

Carton Dimensions (WxHxD)
28-1/2 × 22-1/2 × 10-5/8 in
72.5 × 57.0 × 27.0 cm

Packaged Weight
30 lbs / 13.5 kg

UPC
781052110823 - Realogs
781052110816 - Acrylic Crystals

Order Number
X-XHD26L - Realogs
X-XHD26G - Acrylic Crystals

XHD28L (Realogs®)
XHD28G (Acrylic Crystals)
28" Electric Firebox

Product Dimensions (WxHxD)
27-3/8 × 23-1/2 × 7-1/2 in
69.5 × 59.7 × 19.1 cm

Carton Dimensions (WxHxD)
26-3/4 × 26-7/8 × 11 in
67.9 × 68.0 × 28.0 cm

Packaged Weight
36.5 lbs / 16.5 kg

UPC
781052110847 - Realogs
781052117907 - Acrylic Crystals

Order Number
X-XHD28L - Realogs
X-XHD28G - Acrylic Crystals

XHD33L (Realogs®)
XHD33G (Acrylic Crystals)
33" Electric Firebox

Product Dimensions (WxHxD)
33-1/8 × 23-1/4 × 7-1/2 in
84.1 × 59.0 × 19.1 cm

Carton Dimensions (WxHxD)
35-5/8 × 26-7/8 × 11 in
90.5 × 68.0 × 28.0 cm

Packaged Weight
42.1 lbs / 19.1 kg

UPC
781052131217 - Realogs
781052131224 - Acrylic Crystals

Order Number
500001756 - Realogs
500001757 - Acrylic Crystals

XHD23L



XHD26L



XHD28L




XHD33L




FIREBOXES

SERIES	BF SERIES	NOVA SERIES
Size	33", 39", 45"	23", 26", 28", 33"
Ember Bed	Inner Glow Logs	Acrylic Crystals, Realogs®
Ember Bed Color Settings		•
Interior Surround	Black, Authentic brick-look interior	Black
Flame Effect	Original Dimplex® Flame	
Flame Technology	Optiflame®	
Flame Speed		•
Flame Only Mode	•	•
Light Settings		Adjustable Brightness
Heat Operation	Powerful Supplemental Heat - Option to use 240 V supply for up to 9200 BTU	Supplemental Heat
Heating Range	Up to 1000 sq. ft.	
Heater Only Mode	When connected to a switch or thermostat	•
Heater Element	Steel Sheathed	Stitched Wire
Heat Disable	Hardwire disconnect only	Onboard controls
Built-in Thermostat		•
Connects to a Wall Thermostat	•	
Wiring Type	Hardwire (Optional 120 V Plug Kit Included)	Plug-in
Volts	120 / 208 / 240	120
Watts	1440 / 2100 / 2700	1465
BTU	4913 / 7165 / 9213	5000
Display		•
Onboard Controls	Toggle	Hidden-Touch Controls
Flame Connect App		
Smart Self-diagnostics		
Timer		•
Optional Accessories	Ember Beds and Log Sets	XHD26/28G only
Remote Control		•
Warranty	2-year limited	



DFI Series

Plug-in Electric Log Inserts



Reclaimed Charm

Revitalize an existing hearth space with the flicker of lifelike flames and the warmth of modern convenience.

Seamless Installation

With virtually no setup required, effortlessly incorporate a fireplace into your space.

Instant Coziness

Simply plug-in and savor the gentle dance of flames and the snug warmth it brings.

Patented Logs

Our Patented Inner Glow Logs are individually molded and hand-finished to pulse and glow from within, creating the look of natural burning logs.



DFI2310
23" Electric Fireplace Insert

Product Dimensions (WxHxD)
23-1/4 x 19-1/2 x 10-5/8 in
59.1 x 49.5 x 27.0 cm

Carton Dimensions (WxHxD)
26 x 23-1/4 x 13-1/4 in
66.0 x 59.1 x 33.5 cm

Packaged Weight
36 lbs / 16.3 kg

UPC
781052049406

Order Number
X-DFI2310

Style Your Way

Dimplex Accessory Program

ACCESSORY



Scan to view all accessories



From modern crystals to rustic driftwood, **Dimplex accessories** let you create a fireplace that's uniquely yours. Explore endless possibilities to match your space and taste.




*Tumbled Glass
Ember Bed*



*Split Log Moulded
Log Set*



*OLF
Plug Kit*



*Optimyst® Revive
Trim Kit*



Experience Better Living.

dimplex.com

01042026_R00