The Vital Family of Electric Fireplaces

Vital™

Dimplex®

About Dimplex

At **Dimplex**, comfort is more than just a temperature, it's the feeling of warmth on a quiet morning, the glow of a welcoming space, and the **confidence that comes from technology designed to perform beautifully and reliably.**

As part of the Glen Dimplex Group, the world's largest manufacturer of electrical heating, **we've been redefining comfort since 1973 through innovation, design excellence, and a commitment to sustainability.** From pioneering the first electric fireplace with a "wood burning" flame effect to leading the way with technologies like Optiflame® and Optimyst®, **our products are crafted to be both functional and visually striking, enhancing residential, commercial, and hospitality spaces alike.**

What truly sets Dimplex apart is our **customer-first approach**, backed by a **responsive service team** and an **Extended Warranty Program** that ensures peace of mind long after installation. Whether you're creating a cozy retreat or a bold commercial statement, **Dimplex is your trusted partner in bringing comfort to life.**

Vital™ Sense

Customized, Heartwarming Surroundings for Inside Your Home.

LIMITED 1 YEAR WARRANTY

Style Within Reach
A clean and modern design that brings style to your home, offering exceptional value without compromise.

Flexible Install
Install with included wall-mount brackets or frame an opening for a sleek, recessed finish.

Unlimited Possibilities
Endless personalization of the flame speed, color and ember bed to make this fireplace unique to you.

Versatile Ambience
With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.

Flame Options Available

Total Control

For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

Powerful Heating
Powerful fan-forced heater provides on-demand heat up to 1,000 sq. ft.

Seamless Installation
Flexible installation with 1500 watts at 120 volts, hardwire or convertible to a plug-in.

All-Season Flames
Enjoy the ambience of flames 365 days a year, while using, or without using the heater.

Flame Effect
Patented Dimplex flame effect delivers vivid, lifelike flames that captivate the senses.

Scan for more information on dimensions, accessories, and technical details.

Description	Order #	Model #	UPC
50" Linear Electric Fireplace	500005119	SEN50	781052157323
60" Linear Electric Fireplace	500005120	SEN60	781052157330
74" Linear Electric Fireplace	500005121	SEN74	781052157347



©2026 Glen Dimplex Americas

SEN50

Product Dimensions (W x H x D)

50-1/4 × 19-1/2 × 7-1/8 in
127.7 × 49.5 × 18.1 cm

SEN60

Product Dimensions (W x H x D)

60-3/8 × 19-1/2 × 7-1/8 in
153.3 × 49.5 × 18.1 cm

SEN74

Product Dimensions (W x H x D)

74-3/16 × 19-1/2 × 7-1/8 in
188.4 × 49.5 × 18.1 cm

TAILORED DESIGN

Personalize your ember bed with our versatile Accessories Program, designed to complement your unique style.

Order Number: 500005655

©2026 Glen Dimplex Americas

Vital™ Sense

Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
50" Linear Electric Fireplace	SEN50	50 1/4" 127.7 cm	19 1/2" 49.5 cm	7 1/8" 18.1 cm	48 3/8" 122.9 cm	18 1/4" 46.3 cm
60" Linear Electric Fireplace	SEN60	60 3/8" 153.3 cm	19 1/2" 49.5 cm	7 1/8" 18.1 cm	58 3/8" 148.2 cm	18 1/4" 46.3 cm
74" Linear Electric Fireplace	SEN74	74 3/16" 188.4 cm	19 1/2" 49.5 cm	7 1/8" 18.1 cm	72 3/8" 183.8 cm	18 1/4" 46.3 cm





SEN50

Carton Dimensions (W x H x D)

53-15/16 × 23-5/8 × 11-1/4 in
(137.0 × 60.0 × 28.5 cm)

Packaged Weight

88.0 lbs / 40.0 kg

SEN60

Carton Dimensions (W x H x D)

64-3/4 × 23-5/8 × 11-1/4 in
(164.5 × 60.0 × 28.5 cm)

Packaged Weight

103.4 lbs / 47.0 kg

SEN74

Carton Dimensions (W x H x D)

78-1/2 × 23-5/8 × 11-1/4 in
(199.5 × 60.0 × 28.5 cm)

Packaged Weight

115.3 lbs / 52.3 kg



Installation Dimensions

		Opening Dimension			Front Glass Dimension	
Description	**Model #**	**A**	**B**	**C**	**D**	**E**
50" Linear Electric Fireplace	SEN50	50 3/8" 127.9 cm	19 1/2" 49.4 cm	7 1/8" 18.1 cm	48 3/8" 122.8 cm	18 1/4" 46.3 cm
60" Linear Electric Fireplace	SEN60	60 3/8" 153.3 cm	19 1/2" 49.4 cm	7 1/8" 18.1 cm	58 3/8" 148.2 cm	18 1/4" 46.3 cm
74" Linear Electric Fireplace	SEN74	74 1/4" 188.5 cm	19 1/2" 49.4 cm	7 1/8" 18.1 cm	72 3/8" 183.8 cm	18 1/4" 46.3 cm

LEFT

FRONT

RIGHT

©2026 Glen Dimplex Americas

Vital™ Spark

Classic Style, Sparked by Innovation.

LIMITED ★ 1 YEAR ★ WARRANTY

Style Within Reach
A clean and modern design that brings style to your home, offering exceptional value without compromise.

Enhanced Realism
A natural, authentic experience with molded logs that mimic real wood, and a flickering ember bed that lights up in 5 colors.

Convenient Operation
Easy to customize with the remote, on board controls or the Glen Dimplex Connect app.

Versatile Ambience
With 3 speeds, 3 brightness settings, and 13 flame colors, you can customize the fireplace to match any mood or occasion.

Flame Options Available

Scan for more information on dimensions, accessories, and technical details.

Total Control

For ultimate control of your fireplace, use the Glen Dimplex Connect App. You can also use the included remote control or hidden control panel.

Powerful Heating
Powerful fan-forced heater provides on-demand heat up to 1,000 sq. ft.

Seamless Installation
Flexible installation with 1500 watts at 120 volts, hardwire or convertible to a plug-in.

All-Season Flames
Enjoy the ambience of flames 365 days a year, while using, or without using the heater.

Sound Effects
Experience the comforting ambience of a crackling fire at the touch of a button.

Description	Order #	Model #	UPC
26" Built-in Electric Firebox	500005113	SPK26	781052157262
28" Built-in Electric Firebox	500005114	SPK28	781052157279
33" Built-in Electric Firebox	500005115	SPK33	781052157286
36" Built-in Electric Firebox	500005116	SPK36	781052157293
42" Built-in Electric Firebox	500005117	SPK42	781052157309

©2026 Glen Dimplex Americas

SPK26

Product Dimensions (W x H x D)

26-1/2 × 17-3/4 × 7-1/2 in
67.3 × 45.0 × 19.0 cm

SPK28

Product Dimensions (W x H x D)

27-3/8 × 23-3/8 × 7-1/2 in
69.4 × 59.4 × 19.0 cm

SPK33

Product Dimensions (W x H x D)

33-1/16 × 23 × 7-1/2 in
84.0 × 58.4 × 19.0 cm

SPK36

Product Dimensions (W x H x D)

37-1/4 × 26-1/2 × 7-1/2 in
94.4 × 67.4 × 19.0 cm

SPK42

Product Dimensions (W x H x D)

43-1/4 × 31 × 7-1/2 in
109.8 × 78.8 × 19.0 cm

©2026 Glen Dimplex Americas

Vital™ Spark

Dimensions and Installation Guide

Product Dimensions

Description	Model #	A	B	C	D	E
26" Built-in Electric Firebox	SPK26	26 1/2" 67.3 cm	17 3/4" 45.0 cm	7 1/2" 19.0 cm	23 1/2" 59.8 cm	17" 43.0 cm
28" Built-in Electric Firebox	SPK28	27 3/8" 69.4 cm	23 3/8" 59.4 cm	7 1/2" 19.0 cm	26 1/8" 66.4 cm	22 5/8" 57.5 cm
33" Built-in Electric Firebox	SPK33	33 1/16" 84.0 cm	23" 58.4 cm	7 1/2" 19.0 cm	31" 78.6 cm	22 1/4" 56.6 cm
36" Built-in Electric Firebox	SPK36	37 1/4" 94.4 cm	26 1/2" 67.4 cm	7 1/2" 19.0 cm	34 1/4" 87.0 cm	25 3/4" 65.4 cm
42" Built-in Electric Firebox	SPK42	43 1/4" 109.8 cm	31" 78.8 cm	7 1/2" 19.0 cm	40 1/4" 102.3 cm	30 1/2" 76.8 cm



SPK26
Carton Dimensions (W x H x D)
11 × 28-3/4 × 22 in
(27.9 × 73.0 × 55.9 cm)
Packaged Weight
38.5 lbs / 17.5 kg

SPK28
Carton Dimensions (W x H x D)
11-1/2 × 30-1/2 × 27-3/4 in
(29.2 × 77.5 × 70.5 cm)
Packaged Weight
46.2 lbs / 33.0 kg

SPK33
Carton Dimensions (W x H x D)
11-7/8 × 36-1/2 × 27-3/8 in
(30.2 × 92.7 × 69.5 cm)
Packaged Weight
53.9 lbs / 24.5 kg

SPK36
Carton Dimensions (W x H x D)
11-7/8 × 40 × 30-1/2 in
(30.2 × 101.6 × 77.5 cm)
Packaged Weight
64.9 lbs / 29.5 kg

SPK42
Carton Dimensions (W x H x D)
11-7/8 × 46-1/2 × 35-1/2 in
(30.2 × 118.1 × 90.2 cm)
Packaged Weight
81.4 lbs / 37.0 kg



Installation Dimensions

Description	Model #	A	B	C	D	E
26" Built-in Electric Firebox	SPK26	24" 61.0 cm	17 3/8" 44.1 cm	9" 23.0 cm	26 1/2" 67.3 cm	17 3/4" 45.0 cm
28" Built-in Electric Firebox	SPK28	26 1/2" 67.3 cm	23" 58.4 cm	9" 23.0 cm	27 3/8" 69.5 cm	23 3/8" 59.4 cm
33" Built-in Electric Firebox	SPK33	31 1/2" 80.0 cm	22 3/4" 57.8 cm	9" 23.0 cm	33 1/8" 84.0 cm	23" 58.4 cm
36" Built-in Electric Firebox	SPK36	34 3/4" 88.3 cm	26 1/4" 66.6 cm	9" 23.0 cm	37 1/4" 94.4 cm	26 1/2" 67.4 cm
42" Built-in Electric Firebox	SPK42	40 3/4" 103.5 cm	30 3/4" 78.0 cm	9" 23.0 cm	43 1/4" 109.8 cm	31" 78.8 cm

LEFT

FRONT

RIGHT

©2026 Glen Dimplex Americas

Vital™

Comfort Made Personal. Style Made Simple.

Enjoy inviting flames and flexible customization that let you shape your home's ambience exactly the way you like it.

Series	Vital™ Sense	Vital™ Spark
Size	50", 60", 74"	26", 28", 33", 36", 42"
Ember Bed	Tumbled Glass	Glowing Log Set
Flame Color Themes, Brightness	13 Flame Colors | 3 Brightness Settings	
Flame Effect	Realistic Flame Effect	
Flame Technology	LED Flame Technology	
Flame Speed	3	3
Flame Only Mode	•	•
Heater Only Mode	•	•
Air Circulation	•	•
Heat Operation	Louver-Less, Fan-Forced Circulation	
Heating Range	Up to 1000 sq. ft.	
Heat Disable	•	•
Built-in Thermostat	•	•
Wiring Type	Hardwire (120 V Plug Kit Included) Installation Required	Hardwire or Plug-in Capabilities (120 V Plug Kit Included)
Volts	120	
Watts	1500	
BTU	5118	
Operating Controls	Built-in Touch Controls | Multi-Function Remote	
Glen Dimplex Connect App	•	•
Smart Self-diagnostics		•
Display	•	•
Timer	•	•
Installation Options	Front, Fully Recessed or Wall Mount with Included Brackets	Fully Recessed
Optional Accessories	Trim Kit, Realistic Log Set	
Warranty	1-Year Limited Warranty	

©2026 Glen Dimplex Americas

Enhance Your
Fireplace Experience

Create a look that's uniquely yours with our Dimplex Accessory Program

Enhance the beauty and versatility of your fireplace with the included and optional accessories designed to complement any style. Whether you prefer a sleek modern aesthetic or a cozy traditional vibe, our range of accessories make it easy to customize your fireplace.

Tumbled Glass Ember Bed

A contemporary look for the Vital Sense model.

Order #500003421

Optional Log Set

Add a realistic log set for a warm, classic feel.

Order #500005655

GlenDimplex Connect

Smart Control at Your Fingertips, Experience Ultimate Convenience.

Take full control of your Vital fireplace from anywhere in your home with the Glen Dimplex Connect App. Adjust settings, customize your flame, and create the perfect ambience, all from your smartphone.

Features:

Bluetooth or Wi-Fi pairing for seamless connectivity

Control flame color, speed, and brightness

Set timers and switch between °C and °F

Adjust heat settings or disable the heater entirely

How to Connect:

1. Download the Glen Dimplex Connect app from the App Store or Google Play.
2. Enable location services and connect your phone to Wi-Fi.

Pair your fireplace using one of three methods:

1. Bluetooth
2. Blink Slowly mode
3. Blink Quickly mode

Important Note:

Only one device can connect to the fireplace at a time. Pairing a new device will disconnect the previous one.

Dimplex®

Experience Better Living.

dimplex.com

01272025_R01